

Page 1 of 3
Valid from: **26.05.2016**
Version: 1.0

MSDS#
001

MULTILISA[®] CENP-B
CE

1. Product identifier

Articel Code: Ref 1001

Trade name: MULTILISA[®] CENP-B

MULTILISA[®] CENP-B is a medical device for the qualitative detection of IgG class autoantibodies against recombinant human Centromer B in human serum or plasma. Intended for professional in vitro diagnostic use only as research use only

Manufacturer / Supplier

PROTAGEN AG

OTTO-HAHN-STRASSE 15

44227 DORTMUND, Germany

Production: +49(0)231 - 6300

2. Hazards identification

Product is not classified as hazardous according to the European Regulation 1999/45/EC or 1272/2008/EC. Human health hazards: No specific hazard.

3. Composition / Information on ingredients

Coated microplate: Purified antigen coated onto polystyrene microwells.

Calibrators and controls: Human antibodies < 1% in HEPES buffered saline with Tween20, sodium azide 0.09% as preservative and BSA for stabilization.

Enzyme conjugate: Peroxidase conjugated anti-human antibody < 0.0001% in Tris buffered saline with 0.05% Thymol as preservative and bovine serum albumin (BSA) and 0.1M TMB for stabilization.

Sample buffer: HEPES buffered saline with Tween20, Chloracetamid 0.09% and MIT 0.01% as preservative and BSA for stabilization.

Wash buffer: Phosphate buffered saline with Tween 20 as detergent and sodium azide 0.09% as preservative.

Substrate solution: Aqueous solution of TMB (3,3',5,5'-Tetramethylbenzidin) 0.032% with organic solvent pyrrolidone, sodium perborate, citrate, EDTA, Tween 20 as detergent and Kathon CG 0.00009% as preservative.

Stop solution: Aqueous solution of sulfuric acid <0.5M.

All mixtures do not meet the criteria for classification according to 1272/2008/EC.

4. First aid measures

Skin Contact: In case of skin contact, immediately wash thoroughly with water and soap.

Remove contaminated clothing and shoes and wash before reuse.

If stop solution comes into contact with skin, wash thoroughly with water.

Eye Contact: After contact with the eyes carefully rinse the opened eye with running water for at least 10 minutes. Get medical attention if necessary. Remove contact lenses if this can be done easily.

Respiratory tract: Take person to the fresh air.

Swallowing: Rinse the mouth and spit the fluids out. Drink 1 - 2 glasses of water immediately. During spontaneous vomiting hold the head of the casualty low with the body in a prone position in order to avoid the penetration of vomit into the air tube.

Page 2 of 3 Valid from: 26.05.2016 Version: 1.0	MSDS# 001	MULTILISA[®] CENP-B CE
--	------------------	--

5. Firefighting measures

Extinguishing Media: Use dry chemical powder, water spray, foam or carbon dioxide.

6. Personal precautions, protective equipment and emergency procedures

Observe laboratory safety regulations.

Avoid contact with skin and eyes. Do not swallow. Do not pipette by mouth.

Do not eat, drink, smoke or apply makeup in areas where specimens or kit reagents are handled.

When spilled, absorb with an inert material and put the spilled material in an appropriate waste disposal.

7. Handling and storage

Handling: Special measures are not required.

Storage: Store at 2 to 8 °C. Protect from light.

8. Exposure controls / personal protection

Respiratory protection: Not required

Hand protection: Wear protective gloves of nitrile rubber or natural latex.

Eye protection: Wear protective glasses.

9. Physical and chemical properties

Coated microplate: Polystyrol microwells in foil pouch.

Calibrator: Yellow fluid (20mg/L Quinoline Yellow) in polyethylene bottle.

Positive control: Red fluid (25mg/L Amaranth) in polyethylene bottle

Positive control: Green fluid (60mg/L Naphtol green) in polyethylene bottle

Enzyme conjugate: Yellow fluid in polyethylene bottle.

Sample buffer: Blue fluid (0.25% Patent blue) in polyethylene bottle.

Wash buffer: Colorless fluid in polyethylene bottle.

Substrate solution: Colorless fluid in polyethylene bottle.

Stop solution: Colorless fluid in polyethylene bottle.

10. Stability and reactivity

Stability of components is given on the labels. Used according to intended use no dangerous reactions known.

Conditions to avoid: Substrate solution is light-sensitive. Store substrate solution in the dark.

Substrate solution reacts immediately with conjugate solution. Keep both solutions separated

11. Toxicological information

Used according to intended use no toxicological reactions known.

12. Ecological information

Used according to intended use no ecological reactions known.

Page 3 of 3 Valid from: 26.05.2016 Version: 1.0	MSDS# 001	MULTILISA[®] CENP-B CE
--	--------------	--

13. Disposal considerations

Waste should be disposed of in accordance with federal, state and local environmental control regulations. When disposing of conjugate solution, sample buffer or wash buffer flush drains with copious amounts of water. Disposal of packaging according to the instructions of the public authorities.

14. Transport information

This product is not subject to official transport regulations.

15. Regulatory information

1907/2006/EC Registration, evaluation and authorization of chemicals regulation (REACH)

1272/2008/EC Classification, labelling and packaging regulation (CLP, globally harmonized system GHS)

replaces 67/548/EWG and 1999/45/EG, amending 1907/2006/EG

453/2010/EC Compilation of safety data sheets regulation (SDS), amending 1907/2006/EC

This product is not classified according to the EU regulations 1272/2008. No labeling requirement.

16. Other information

Safety data for product including all components. This product is intended for professional laboratory use only.
Revision: Introduction of 3 year period of validity according to Canadian controlled products regulation (CPR).

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.